Product Name: Water Spot Remover Product identifier: 600 Revision Date: 08-19-2016 Replaces:



1. Identification			
Product identifier used on the la	pel:		
Product Name:	Water Spot Remover		
Product identifier:	600		
Other means of identification			
Synonyms:	No data available		
Recommended use of the chemical and restrictions on use:	Automotive detailing		
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party			
Chemical Manufacturer /	ITW Evercoat		
Importer / Distributor:	a division of Illinois Tool Works Inc.		
	1275 Round Table Drive		
Emergency phone number:	Dallas, TX 75247 CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666		

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;





GHS Classification:Skin Corrosion/Irritation Category 1
Serious Eye Damage/Eye Irritation Category 1
Acute Toxicity - Inhalation Dust / Mist Category 2
Acute Toxicity - Inhalation Vapour Category 2
Acute Toxicity - Dermal Category 2
Acute Toxicity - Oral Category 2GHS Signal Word:Danger
Fatal if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
Fatal if inhaled.

Product Name: Water Spot Remover

Product identifier: 600 Revision Date: 08-19-2016

Replaces:

GHS Precautionary Statements:	
Safety Precautions:	Do not breathe dust/fume/gas/mist/vapours/spray.
	Do not get in eyes, on skin, or on clothing.
	Wash thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Use only outdoors or in a well-ventilated area.
	Wear protective gloves/protective clothing/eye protection/face protection.
	Wear respiratory protection.
First Aid Measures:	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	IF ON SKIN: Wash with plenty of soap and water.
	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Immediately call a POISON CENTER/doctor
	Specific treatment is urgent (see on this label).
	Specific treatment (see on this label).
	Rinse mouth.
	Wash contaminated clothing before reuse.
Storage:	Store in a well-ventilated place. Keep container tightly closed.
-	Store locked up.
Disposal:	Dispose of contents/container in accordance with
	local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise classified:	No data available

3. Composition/information on ingredients			
Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
Orthophosphoric acid	7664-38-2	10 - 30	
Ethylene glycol monobutyl ether	111-76-2	1 - 5	
hydrogen fluoride	7664-39-3	1 - 5	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Product Name: Water Spot Remover

Product identifier: 600 Revision Date: 08-19-2016

Replaces:

Eye Contact:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. This corrosive material can cause
	immediate and permanent eye damage. Tilt the head to prevent
	chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised
	by your physician.
Skin Contact:	Wash with soap and water under a drench shower. Remove contaminated clothing, launder immediately, and discard
	contaminated leather goods. Get medical attention immediately.
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained
	individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Ingestion:	Corrosive. Do not induce vomiting! Drink one glass of water followed by milk if available. Seek medical attention immediately
	and give the medical care provider with this MSDS.
	to a second se

Most important symptoms/effects, acute and delayed:

Most important	No data available
symptoms/effects (Acute): Most important	No data available
symptoms/effects (Delayed):	

Indication of immediate medical No additional first aid information available attention and special treatment needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	No data.
Unsuitable extinguishing media:	No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Hazards:	Vapors may form flammable/explosive mixture with air. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Container may explode in heat of fire.
Hazardous Combustion Products:	Phosphorus compounds
Special protective equipment	Will not burn, no special instructions available. Use methods

Product Name: Water Spot Remover
Product identifier: 600
Revision Date: 08-19-2016
Replaces:

and precautions for fire-fighters:

appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:	Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

7. Handling and storage

Incompatibility:

Precautions for safe handling:	Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse
Conditions for safe storage, include	ding any incompatibilities

Conditions for safe storage: Store in a cool dry place Store in a tightly closed container

5	51	5 5
Materials to Avoid/Chemical	Strong oxidizing agents Strong	alkalies Metals

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Orthophosphoric acid	1 mg/m3	1 mg/m3	3 mg/m3 STEL
Ethylene glycol monobutyl ether	50 ppm	20 ppm	No data available
Appropriate engineering controls:	Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower.		
Individual protection measure	s, such as personal protec	tive equipment:	
Eye Protection: Skin Protection:	Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular		
Respiratory Protection:	intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield Respiratory protection must be used when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory		
Other Protective Equipment:	protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.		

Product Name: Water Spot Remover Product identifier: 600 Revision Date: 08-19-2016 Replaces:

9. Physical and chemical properties

Appearance (physical state, color, etc.):	
Appearance (physical state):	Liquid
Color:	Clear
Odor:	Glycol ether
Odor threshold:	No data available
pH:	1.5
Melting Point/Freezing Point (°C):	No data available
Initial Boiling Point and Boiling Range (°C):	260
Flash Point (°C):	No data available
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits	:
Upper Flammable/Explosive Limit (%):	No data available
Lower Flammable/Explosive Limit (%):	No data available
Vapor Pressure:	No data available
Vapor Density:	No data available
Relative Density:	1.14
Solubility(ies):	Complete; 100%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	No data available
Decomposition Temperature:	No data available
Viscosity:	No data available

10. Stability and reactivity

Reactivity: Chemical stability: Possibility of hazardous	No data available Stable under normal conditions. No data available
reactions: Conditions to avoid (e.g., static discharge, shock, or vibration):	Contamination
Incompatible materials: Hazardous decomposition products:	Strong oxidizing agents Strong alkalies Metals Phosphorus compounds

11. Toxicological information

Product Name: Water Spot Remover Product identifier: 600 **Revision Date:** 08-19-2016 Replaces: Information on the likely routes No data available of exposure (inhalation, ingestion, skin and eye contact): Symptoms related to the No data available physical, chemical and toxicological characteristics: Delayed and immediate effects and also chronic effects from short- and long-term exposure: Immediate (Acute) Health Effects by Route of Exposure: Inhalation Irritation: Can be corrosive to the respiratory tract causing severe irritation and tissue damage. Inhalation Toxicity: Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is possible at high doses. Corrosive to skin tissue. Can cause chemical burns. Skin Contact: Skin Absorption: No absorption hazard in normal industrial use. Eye Contact: Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can quickly lead to permanent injury including blindness. Ingestion Irritation: Corrosive to tissue. Can cause severe and permanent damage to mouth, throat, stomach. Aspiration may lead to lung damage. **Ingestion Toxicity:** Toxic if swallowed. May cause target organ failure and/or death. Long-Term (Chronic) Health Effects: Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA. Reproductive and No data available to indicate product or any components present at greater than **Developmental Toxicity:** 0.1% may cause birth defects. Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. Inhalation: Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract causing severe irritation and tissue damage. Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs). Skin Contact: Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical burns. Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates) Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Orthophosphoric acid	Oral LD50 Rat 1530 mg/kg		
Ethylene glycol monobutyl ether	Oral LD50 Rat 470 mg/kg		Inhalation LC50 (4h) Rat 2900 mg/m3

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available	Ν	Ν	Ν

12. Ecological information

Ecotoxicity (aquatic and	This material is not expected to be harmful to the ecology.
terrestrial, where available):	
Persistence and degradability:	No data available
Bioaccumulative potential:	No data
Mobility in soil:	No data available
Other adverse effects (such as	No data available
hazardous to the ozone layer):	

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the
disposal of any contaminated packagingWaste treatment methodsDispose of in a landfill. Disposal is not likely to be regulated.

(including packaging):

14. Transport information

UN number:	No data available
UN proper shipping name:	Not Regulated
Transport hazard class(es):	No data available
Packing group:	No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status:

All components in this product are on the TSCA Inventory.

Product Name: Water Spot Remover Product identifier: 600 Revision Date: 08-19-2016 Replaces:

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Orthophosphoric acid	7664-38-2	Ν	N	Y	Ν

16. Other information, including date of preparation or last revision.			
Revision Date:	08-19-2016		
Revision Number:	9		

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances