

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

Auto Magic

Professional Car Care®

1. Identification

Product Name: XP POLISH 1 GAL

Product identifier: 88

Relevant identified uses of the substance or mixture and uses advised against: Auto Polish

Chemical Manufacturer / Importer: Auto Wax - An ITW Company
Auto Magic®

1275 Round Table Drive
Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300
CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard
Symbols:



GHS Classification:

Carcinogenicity Category 1B
Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2
Flammable Liquid Category 3

GHS Signal Word:

Danger

GHS Hazard Statements:

Flammable liquid and vapour.

May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

GHS Precautionary Statements:

Safety Precautions:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

First Aid Measures: Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.
IF exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.

Storage: In case of fire: Use for extinction.
Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

| Chemical Component: | CAS number and other unique identifiers | % (or range) of ingredient |
|---|---|----------------------------|
| Hyrotreated Heavy Naphthe | 68551-16-6 | 7 - 15 |
| Crystalline silica | 14464-46-1 | 1 - 5 |
| Distillates (Petroleum), Hydrotreated Heavy Naphtha | 64742-52-5 | 0.1 - 1 |

the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

4. First-aid measures

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

Skin Contact: Wash with soap and water.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

provider with this MSDS.

Immediate medical attention and special treatment needed,:

No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Unsuitable extinguishing media: No data available

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.

Methods and material for containment and cleaning up: No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical Incompatibility:: Strong oxidizing agents Strong acids Strong alkalies

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

8. Exposure controls/personal protection

Limits:

| Chemical Component | OSHA PEL | ACGIH TLV-TWA | ACGIH STEL |
|--------------------|----------------------------|------------------------|------------|
| Crystalline silica | 0.1 mg/m ³ resp | 0.05 mg/m ³ | |

Appropriate engineering controls.:

No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures to control the level of dust in the air. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Eye Protection:

Wear safety glasses when handling this product. Wear goggles and a Face shield

Skin Protection:

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and long sleeves is recommended.

Respiratory Protection:

No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Other Protective Equipment:

Wear goggles and a Face shield Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and long sleeves is recommended.

9. Physical and chemical properties

| | |
|---|-------------------|
| Appearance (physical state): | Liquid |
| Color: | White/Neutral |
| Odor: | Hydrocarbon |
| Odor threshold: | No data available |
| pH: | No data available |
| Melting Point/Freezing Point (°C): | No data available |
| Initial Boiling Point and Boiling Range (°C): | 100 |
| Flash Point (°C): | 49 |

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

| | |
|--|-------------------|
| Evaporation Rate: | No data available |
| Flammability (solid, gas): | No data available |
| Upper Flammable/Explosive Limit: | No data available |
| Lower Flammable/Explosive Limit: | No data available |
| Vapor Pressure: | 17.5 MMHG@20C/68F |
| Vapor Density: | No data available |
| Relative Density: | 0.98 |
| Solubility(ies): | No data available |
| Partition coefficient: n-octanol/water: | No data available |
| Auto-ignition Temperature (°C): | No data available |
| Decomposition Temperature:: | No data available |
| Viscosity: | No data available |
| VOC (as packaged-less exempts and water) | <15% or |

10. Stability and reactivity

| | |
|-----------------------------------|---|
| Reactivity: | No data available |
| Chemical stability: | Stable under normal conditions. |
| Conditions to avoid: | None known. Contamination. |
| Incompatible materials: | Strong oxidizing agents Strong acids Strong alkalis |
| Hazardous decomposition products: | Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide |

11. Toxicological information

| | |
|--|--|
| Likely routes of exposure (inhalation, ingestion, skin and eye contact): | Inhalation, Ingestion, Skin contact, Eye contact |
|--|--|

Immediate (Acute) Health Effects by Route of Exposure:

| | |
|------------------------|--|
| Inhalation Irritation: | Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Dust irritating to respiratory tract |
| Inhalation Toxicity: | Highly toxic! Can cause systemic damage (see "Target Organs"). Respiratory failure is possible at high doses. |
| Skin Contact: | No hazard in normal industrial use. |
| Skin Absorption: | No absorption hazard in normal industrial use. |
| Eye Contact: | Can cause minor irritation, tearing and reddening. |
| Ingestion Irritation: | No hazard in normal industrial use. |
| Ingestion Toxicity: | |

Long-Term (Chronic) Health Effects:

| | |
|--|---|
| Carcinogenicity: | Contains a known human carcinogen |
| Reproductive and Developmental Toxicity: | No data available to indicate product or any components present at greater than 0.1% may cause birth defects. |
| Mutagenicity: | No data available to indicate product or any components present at greater than |

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

Inhalation: 0.1% is mutagenic or genotoxic.
Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Highly toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs").

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data

| Chemical Component | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------|-----------|-------------|-----------------|
| No data available | | | |

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|-------------------|-----------------|-----------------|----------------|
| No data available | | | |

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): This material is not expected to be harmful to the ecology.

Persistence and degradability: No data available

Mobility in soil: No data available

Other adverse effects (such as hazardous to the ozone layer): No data available

Ecological Toxicity Data

| Chemical Component | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--------------------|------------------------|---------------------|-------------------|
| No data available | | | |

13. Disposal considerations

Description of waste residues: Spent or discarded material is a hazardous waste.

Waste treatment methods (including packaging): Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s): D001

14. Transport information

UN proper shipping name: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

Safety Data Sheet

Product Name: XP POLISH 1 GAL

Product identifier: 88

Revision Date: 05-27-2015

Replaces:

15. Regulatory information

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components:

| Chemical Component | CAS number and other unique identifiers | CERCLA | SARA EHS | SARA 313 | California Prop 65 |
|--------------------|---|--------|----------|----------|--------------------|
| No data available | | | | | |

16. Other information, including date of preparation or last revision.

Revision Date: 05-27-2015

Revision Number: 3

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances