\_ \_ \_ \_ \_ \_ \_ \_

Printing date 08/23/2018

Reviewed on 12/18/2017

# **1** Identification

· Product identifier

· Trade name: SMOKE & ODOR ELIMINATOR

- Article number: F-17
- · Application of the substance / the mixture Odour neutralising agent

#### · Details of the supplier of the safety data sheet

- Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA Phone:859-372-5900
- Information department: msds\_info@prowax.com
- Emergency Telephone Number: ChemTrec: 800-424-9300 Outside USA 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture

Flame

Highly flammable liquid and vapor.



Causes serious eye irritation.

· Label elements

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Danger

#### · Hazard statements

*Highly flammable liquid and vapor. Causes serious eye irritation.* 

- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

(Contd. on page 2)

USA

Printing date 08/23/2018

Reviewed on 12/18/2017

(Contd. of page 1)

#### Trade name: SMOKE & ODOR ELIMINATOR

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

67-63-0	propan-2-ol	10-25%
127087-87-0	surfactant	2.5-10%
112-34-5	2-(2-butoxyethoxy)ethanol	2.5-10%

### 4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*

Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

USA

Printing date 08/23/2018

Reviewed on 12/18/2017

Trade name: SMOKE & ODOR ELIMINATOR

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

111 111	is time, the remaining constituent has no known exposure timus.	
67-63	3-0 propan-2-ol	
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI	
112-3	34-5 2-(2-butoxyethoxy)ethanol	
TLV	Long-term value: 67.5* mg/m³, 10* ppm *Inhalable fraction and vapor	
Ingre	edients with biological limit values:	
67-63	3-0 propan-2-ol	
	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)	
Addi	tional information: The lists that were valid during the creation were used as basis.	
• <b>Perso</b> • <b>Gene</b> Keep Imme Wash Avoid	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin.	
	thing equipment: Not required.	

(Contd. on page 4)

### (Contd. of page 2)

Printing date 08/23/2018

Reviewed on 12/18/2017

#### Trade name: SMOKE & ODOR ELIMINATOR

#### · Protection of hands:

(Contd. of page 3)

US.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Amber colored
· Odor:	Pleasant
• Odor threshold:	Not determined.
• <i>pH-value at 20</i> ° <i>C</i> (68 ° <i>F</i> ):	7.5
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	82 °C (179.6 °F)
· Flash point:	12 °C (53.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	225 °C (437 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
· Density at 20 °C (68 °F):	0.9886 g/cm <sup>3</sup> (8.2499 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
	(Contd. on page

Printing date 08/23/2018

Reviewed on 12/18/2017

#### Trade name: SMOKE & ODOR ELIMINATOR

		(Contd. of page 4
· Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C (104 °F):	<20.5 mm <sup>2</sup> /s	
Solvent content:		
Organic solvents:	15.5 %	
Water:	73.7 %	
VOC content:	10.54 %	
Solids content:	8.6 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 6)

3

USA

Printing date 08/23/2018

Reviewed on 12/18/2017

(Contd. of page 5)

#### Trade name: SMOKE & ODOR ELIMINATOR

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN Normhan		
UN-Number DOT, ADR, IMDG, IATA	UN1219	
UN proper shipping name		
DOT	Isopropanol	
ADR	1219 Isopropanol	
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)	
Transport hazard class(es)		
DOT		
Accounted to 20		
CONSUMER COMMODITY ORM-D		
Class	3 Flammable liquids	
Label	3	
ADR, IMDG, IATA		
3		
Class	3 Flammable liquids	
Label	3 3	
	~	
Packing group DOT, ADR, IMDG, IATA	11	
	11	
Environmental hazards:	NY	
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	33	
EMS Number:	F- $E$ , $S$ - $D$	

Printing date 08/23/2018

Reviewed on 12/18/2017

Trade name: SMOKE & ODOR ELIMINATOR

	(Contd. of page
· Stowage Category	В
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· ADR	
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
$\cdot$ Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1219 ISOPROPANOL, 3, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

112-34-5 2-(2-butoxyethoxy)ethanol

· TSCA (Toxic Substances Control Act) All ingredients are listed

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

### · TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

A4

USA

Printing date 08/23/2018

Reviewed on 12/18/2017

(Contd. of page 7)

#### Trade name: SMOKE & ODOR ELIMINATOR

· Hazard pictograms



· Signal word Danger

- · Hazard statements
- Highly flammable liquid and vapor. Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Date of preparation / last revision 08/23/2018 / 12

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A • \* Data compared to the previous version altered.